


DriLyner BASIC



Consumption Rate Criteria

Fixing Method	Plasterboard Adhesive
Adhesive Dabs	75mm x 250mm
Lining Height	3000mm
Lining Area	100m ²

Component	Total Quantity per 100m ²
Gyproc Plasterboard	200 m ²
Gyproc Plasterboard Adhesive	500 kg
Gyproc Joint Tape	130 m
Gyproc Jointing Compound	28 kg
GypFine Board Skim (based on 1mm thickness if required)	100 kg

For General Consideration

- The above quantity take-off to be read in conjunction with the Gyproc proposal for the project and the Gyproc White Book available at www.gyproc.ae
- Consumption rates estimated from typical partition dimensions of 3000mm high and 100m² total area (straight partition without any corners). The material requirement have been based on the standard Gyproc System proposed and does not include wastage, additional studs where T-junctions, abutments and splayed angles, bulk filling to the base where boards have been lifted or raised slightly off the floor.
- It is the responsibility of the ordering authority to check the above quantities against final drawings, BOQ and site conditions before placing material orders. Gyproc cannot be held liable for actual quantities required for the project.