



GypWall QUIET SF (RB1 one side) - Double Boarded System @ 600mm centres



Consumption Rate Criteria



Stud Type	Gypframe 'C' Stud or 'I' Stud
Stud Spacing	600mm centres
Partition Height	3000mm
Partition Area	100m ²
RB1 Centers	600mm vertical centers

Component	Total Quantity per 100m ²
Gyproc Plasterboard	400 m ²
Gypframe 'C' Stud or 'I' Stud	167 m
Gypframe Standard / Deep / Extra Deep Channel	67 m
Gypframe RB1 Resilient Bar	200 m
Gypframe GFS1 Fixing Strap	34 m
Gyproc Drywall Screws (Inner Layer)	1800 pieces
Gyproc Drywall Screws (Outer Layer)	2480 pieces
Gyproc Wafer Head Screws	305 pieces
Gyproc Sealant	8 tubes
Isover Eco APR Glass Wool insulation (If required)	100 m ²
Gyproc Joint Tape	245 m
Gyproc Jointing Compound	56 kg
Deflection head (plasterboard strips, Gyproc FireStrip and mineral wool insulation)	Refer deflection head guidance

For General Consideration

- The above quantity take-off to be read in conjunction with the Gyproc proposal for the project and the Gyproc White Book available at www.gyproc.ae
- Where partition heights extend beyond the stud length, an additional 600mm will need to be added for the stud splice for 'C' studs and an additional 600mm length of channel for 'I' studs.
- Gypframe Channel requirements may differ depending on partition length and height combinations within 100m² area. Refer to the Gyproc White Book for details regarding the appropriate use of Gypframe Channel based on the actual partition height
- Consumption rates estimated from typical partition dimensions of 3000mm high and 100m² total area (straight partition without any corners). The material requirement have been based on the standard Gyproc System proposed and does not include wastage, additional studs where T-junctions, abutments and splayed angles, bulk filling to the base where boards have been lifted or raised slightly off the floor.
- It is the responsibility of the ordering authority to check the above quantities against final drawings, BOQ and site conditions before placing material orders. Gyproc cannot be held liable for actual quantities required for the project.

GypWall QUIET SF (RB1 both side) - Double Boarded System @ 600mm centres



Consumption Rate Criteria

Stud Type	Gypframe 'C' Stud or 'I' Stud
Stud Spacing	600mm centres
Partition Height	3000mm
Partition Area	100m ²
RB1 Centers	600mm vertical centers

Component	Total Quantity per 100m ²
Gyproc Plasterboard	400 m ²
Gypframe 'C' Stud or 'I' Stud	167 m
Gypframe Standard / Deep / Extra Deep Channel	67 m
Gypframe RB1 Resilient Bar	400 m
Gyproc Drywall Screws (Inner Layer)	1800 pieces
Gyproc Drywall Screws (Outer Layer)	2480 pieces
Gyproc Wafer Head Screws	610 pieces
Gyproc Sealant	8 tubes
Isover Eco APR Glass Wool insulation (If required)	100 m ²
Gyproc Joint Tape	245 m
Gyproc Jointing Compound	56 kg
Deflection head (plasterboard strips, Gyproc FireStrip and mineral wool insulation)	Refer deflection head guidance

For General Consideration

- The above quantity take-off to be read in conjunction with the Gyproc proposal for the project and the Gyproc White Book available at www.gyproc.ae
- Where partition heights extend beyond the stud length, an additional 600mm will need to be added for the stud splice for 'C' studs and an additional 600mm length of channel for 'I' studs.
- Gypframe Channel requirements may differ depending on partition length and height combinations within 100m² area. Refer to the Gyproc White Book for details regarding the appropriate use of Gypframe Channel based on the actual partition height
- Consumption rates estimated from typical partition dimensions of 3000mm high and 100m² total area (straight partition without any corners). The material requirement have been based on the standard Gyproc System proposed and does not include wastage, additional studs where T-junctions, abutments and splayed angles, bulk filling to the base where boards have been lifted or raised slightly off the floor.
- It is the responsibility of the ordering authority to check the above quantities against final drawings, BOQ and site conditions before placing material orders. Gyproc cannot be held liable for actual quantities required for the project.