



Gyproc MF Ceiling

Is a suspended ceiling system suitable for most internal drylining applications. The fully concealed grid can be used inconjuction with the Gyproc plasterboards to create a seamless, monolithic appearance and when used as a complete system, using all Gyproc components, is eligible for the SpecSure Warranty.






GYPROC PLASTERBOARDS




- Gyproc 12.5mm Regular Board
- Gyproc 12.5mm MR-H2 Board
- Gyproc 12.5mm FireStop Board

FIXINGS



- 25mm Gyproc Drywall Screws
- 13mm Gyproc Wafer Head **Jack-point Screws**

GYPFRAME METAL PRODUCTS



- MF5 Ceiling Section 0.5mm
- MF7 Primary Support 0.5mm
- GA1 Steel Angle 0.5mm

FINISHING



- Gyproc Paper Tape
- Gyproc Jointing Compound

- Monolithic appearance
- Suspensions for concrete floors and purlins
- · Durable ceiling lining
- Ventilation ducts and other services accommodated in plenum
- Simple accommodation of access panels
- Easy to create bulkheads and level change









Recyclable; high recycled



VERSATILE

Practical solutions for every application residential and commercial buildings.



WARRANTED PERFORMANCE

Tested solutions; covered by unique SpecSure® performance warranty.













The paper used for this brochure

PEFC comes from PEFC mixed sources

Vegetable ink has been used in

www.gyproc.ae

Saint-Gobain Gyproc Middle East FZE P.O.Box. 261107 Dubai, U.A.E. Tel: +971 (4) 4502300 Fax: +971 (4) 4468701

Saint-Gobain Gyproc Emirates Industries L.L.C P.O.Box. 38983 ICAD 1, Mussafah Abu Dhabi, UAE

