


# Access panels



Hassle free access  
to services



## GYPROC ACCESS PANELS

Gyproc, Gyptone and Rigitone Access Panels are purpose-designed for use in Gyproc framed systems where there is a requirement to access services for maintenance purposes. They can be specified in commercial, industrial, public, residential buildings, etc. They are available for ceiling application, in a range of standard sizes to suit different applications.

### Index

#### Gyproc Access Panels

Gyproc Standard Access Panels 346

#### Gyptone BIG Access Panels

Gyptone BIG Access Panel Line 6 346

Gyptone BIG Access Panel Quattro 41 346

Gyptone BIG Access Panel Quattro 71 346

Gyptone BIG Access Panel Sixto 63 347

#### Rigitone Access Panels

Rigitone 8-15-20 347

Rigitone 8-15-20 Super 347

Rigitone 6/18 347

Rigitone 8/18 347

Rigitone 8/18Q 347

Rigitone 12-20/66 347

Rigitone 12/25Q 347



All our systems are covered by SpecSure® when using genuine Gyproc® products

## GYPROC ACCESS PANELS

## Gyproc Standard Access Panels

Gyproc Standard Access Panel makes access to hidden services quick and easy. It comprises of a powder-coated, aluminium frame and gypsum board door. It is fitted with a push catch lock and cable and hook safety mechanism. Gyproc Standard Access Panel is suitable for non-fire rated system applications where no structural performance levels are specified.



Panel Size (mm) <sup>1</sup>	Door Type	Weight (kg)
300 x 300	Plasterboard	1.6
450 x 450	Plasterboard	2.9
600 x 600	Plasterboard	4.5

<sup>1</sup> Bespoke sizes available on request

## GYPTONE BIG ACCESS PANELS

Gyptone BIG Access Panels provide fast and easy access to wires or pipes situated behind the ceiling. They are available in the same patterns as the Gyptone BIG range and are an aesthetic part of a BIG board ceiling, as the access panel is fully integrated into the ceiling surface. The access panels are faster to install than other solutions for access through a gypsum ceiling, thanks to the easy installation method and the adapted measurement of the panel. The access panels have an opening of 510 x 510mm and are almost invisible by providing an optimal solution for easy access to all underlying installations behind a fixed ceiling.

## Key benefits

- The access panel fully integrates into the design of the ceiling seamlessly
- Ready to fix for easy installation
- Activ'Air technology comes as standard with all Gyptone BIG Access Panels

## Gyptone BIG Access Panel Line 6

Panel Size (mm)	Door Type	Weight (kg) <sup>1</sup>
600 x 600	Gyptone Line 6	4.5


<sup>1</sup> includes frame weight of approx. 0.9kg



## Gyptone BIG Access Panel Quattro 41

Panel Size (mm)	Door Type	Weight (kg) <sup>1</sup>
600 x 600	Gyptone Quattro 41	4.5


<sup>1</sup> includes frame weight of approx. 0.9kg



## Gyptone BIG Access Panel Quattro 71

Panel Size (mm)	Door Type	Weight (kg) <sup>1</sup>
600 x 600	Gyptone Quattro 71	4.5*


<sup>1</sup> includes frame weight of approx. 0.9kg



## Gyptone BIG Access Panel Sixto 63

Panel Size (mm)	Door Type	Weight (kg) <sup>1</sup>
600 x 600	Gyptone Sixto 63	4.5*

<sup>1</sup> includes frame weight of approx. 0.9kg




### RIGITONE ACCESS PANELS

Rigitone Access Panels are designed to allow easy access for inspection and maintenance of services located above Rigitone perforated plasterboard acoustic ceilings. Available in a range of sizes that are all easily installed into the ceiling. The access panel frame accepts a piece of board to match the perforation pattern of the ceiling to create a seamless look. Activ'Air technology comes as standard with all Rigitone Access Panels.

## Rigitone 8-15-20 and 8-15-20 Super

Panel Size (mm)	Door Type	Weight (kg)
300 x 300	Rigitone board	1.3
400 x 400	Rigitone board	2
500 x 500	Rigitone board	2.8
600 x 600	Rigitone board	3.8



## Rigitone 6/18, 8/18, 8/18Q, 12-20/66 & 12/25Q

Panel Size (mm)	Door Type	Weight (kg)
305 x 305	Rigitone board	2.2
395 x 395	Rigitone board	3.4
503 x 503	Rigitone board	5.3
593 x 593	Rigitone board	7.5